	Туре	L #	Hits	Search Text	DBs
7	BRS	<b>L</b> 7		lens near barrel and (focus or focusing)and resolution	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
8	BRS	L8	167	2 and resolution	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B

	Туре	L #	Hits	Search Text	DBs
4	BRS	L4	1819	359/819	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
5	BRS	L5	240	resolut\$3 and 4	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
6	BRS	L6	187	5 not 3	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B

	Туре	L #	Hits	Search Text	DBs
1	BRS	L1	513	lens near barrel and (zoom or zooming) and (focus or focusing)and resolution	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
2	BRS	L2	1402	359/823	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
3	BRS .	L3	167	resolut\$3 and 2	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B

	Туре	Hits	Search Text
1	IS&R	0	("lenssamebearingsamegroove").PN.
2	BRS	244	lens same bearing same groove
3	BRS	1596	lens same o near ring
4	BRS		lens near barrel and (zoom or zooming) and (focus or focusing) and resolution
5	BRS	106	resolution near4 (correction or adjust or adjustment or correct or vary or varying) and S6